International Journal of Computational Science and Engineering Research
ISSN: 3107 - 8605 (Online) , http://www.ijcser.com/
Regular Issue , Vol. 3, Issue. 1 (January – March) , 2026 , Pages: 39 – 48
Received: 21 February 2025 ; *Accepted:* 27 December 2025 ; *Published:* 16 January 2026
https://doi.org/10.63328/IJCSER-V3RI1P4
https://www.youtube.com/watch?v=iMZ84wzH9Xo
https://archive.org/details/jsp-ijcser-v3ri1p4
Original Paper : Applied Research – Experimental Research

Spatio-Temporal Modeling for Abnormal Behaviour Detection in Crowd Scenes

Kodeboina Suresh [1*], Sk.Akbar [2], T Murali Mohan [3], Ravindra Lal Weeraratne Koggalage [4]

[1,2] Potti Sriramulu Chalavadi Mallikarjuna Rao College of Engineering and Technology (PSCMRCET), Vijayawada, Andhra Pradesh 520001, India ; kodeboinasuresh.ds@gmail.com , dr.shaikakbar999@gmail.com
[3] Swarnandhra Institute of Engineering & Technology , Narsapur, Andhra Pradesh , India drtmm512@gmail.com
[4] Department of Computer Engineering, General Sir John Kotelawala Defence University, Rathmalana , Sri Lanka

** Corresponding Author: Kodeboina Suresh ; kodeboinasuresh.ds@gmail.com*

Abstract: In this paper, an alternative technique for determining unexpected human-movement regions is presented and demonstrated. In particular, we propose an efficient alternative to human activity by bounding or identifying individual humans or their parts, denoting an actuator or effect -intensifying tracking. The proposed movement effect map serves as a comprehensive representation of motion velocity characteristics, which includes the movement direction and magnitude of objects or subjects that interact with each other inside a particular area or group. Record Terms: Strange movement discovery, imaginative and prescient-primarily based reconnaissance, movement impact map, swarmed scenes/domestic.

Keywords: Crowd Anomaly Detection, Spatio-Temporal Feature Learning, Video Surveillance Analytics, DL.

1. Introduction

While brain While the importance of security has been witnessing a steep increase, it is also notable how numerous surveillance devices have found their way into public and private premises. Human reviewers are so overloaded with so much data. This concern has necessitated the need for intelligent surveillance systems to detect unusual anomalies in activities. For the last ten years, researchers from both computer vision and pattern recognition fields have dedicated their research efforts to studying human behavior and social communication through video analysis [1] . There is a keen interest from researchers in recent years on the topic of motion detection in resident surveillance. The study of human presence in crowded spaces requires special methods because traditional methods fail to detect human presence. The study of unusual movement patterns in crowded environments uses surface characteristics which include spatio-worldly slope and active surface combination and spatio-fleeting frequency as advanced detection techniques. Numerous research studies have employed optical flow-based techniques to create direct visualizations of motion patterns that occur in a particular scene through various methods which include motion heat maps and clustered motion patterns and spatial saliency of motion regions and crowd behavior prediction using force field models and optical flow fields and particle trajectories and social force models and local motion histograms. Fig. 1. The unusual activities shown in this example include the following three cases: (i) individuals walking in opposite directions, (ii) a bicycle moving through pedestrians and (iii) people walking irregularly within the scene, and (iv) individuals suddenly starting to run. Despite the reality that motion circulation primarily based techniques have proven their viability in beyond works, we accept considering the facts on the scale of the articles and their interactions is as but good sized. For instance, in Fig. 1b, where driving a bike is viewed as a extraordinary movement, the scale of the object and its impact to the close by walkers' shifting bearings are sizeable data alongside the improvement pace.

Jack Sparrow Publishers © 2026, IJCSER, All Rights Reserved
www.jacksparrowpublishers.com

ISSN: 3107 - 8605 (Online) , http://www.ijcser.com/ , Vol. 3, Issue 1, 2026, https://doi.org/10.63328/IJCSER-V3RI1P4

(i) Nearby everyday motion (ii) Neighborhood uncommon movement: motorcycle in the edge

(ii) Worldwide ordinary motion (iv) Worldwide sudden action: jogging people across the brink

Figure. 1 Crowd Detection

From the above explanation, it actually shows that none of the existing methods make good use of this information to improve their performance. It requires scientific ability to develop and deploy intervention approaches against alcoholism. The paper presents a new method for studying moving objects which requires tracking their movement patterns while measuring their dimensions and observing their interactions. Movement Impact Map, as we refer to it, serves to represent the motion patterns in a basic way in crowded scenes or home environments.

2. Related Work

Researchers who study vision-based surveillance systems have developed a strong interest in detecting unusual events and motion patterns. Xiang et al. addressed the problem of behavior representation in surveillance videos. Oddities have been identified thru the possibility proportion test with normal conduct instructions of a one of a kind individual, which have been displayed in an unaided getting to know Jiang et al. Proposed any other gadget for peculiarity reputation utilizing a spatio-brief placing. The researchers developed a temporary framework which used a kernel event to predict the behavior of an individual object through its movement pattern which included tracking its current location and flight path and speed. An input stream instance is disassembled into single kernel instances which are then assembled into one kernel instance consisting of multiple kernel instances and separated from one multi-kernel instance. A series of kernel events suggest a class of Mostly Species Which Would Engage in Unusual Physical Activity in a Spatio-temporal Context. Attributable to the widespread style of scale, mild, and posture, it's far tough to distinguish or comply with character human beings interior packed scenes, and the formerly noted strategies are eventually no longer material to one of these scenarioRecent studies have concentrated on examining actual motion patterns which appear in visual images. Wang et al. used Kanade-Lucas-Tomasi (KLT) corners to track moving objects while they performed unsupervised analysis to identify similar motion patterns. They detected anomalies in a frame sequence using two types of motion descriptors: the individual history and the neighboring history. Xiong et al. developed a method for crowd counting which does not depend on camera parameters. These two were utilized as means for possible kinematic bound (i.e., long-range motion) description and translation from perceptual features into control signals. The dynamic strength became estimated making use of an optical circulate to apprehend walking exercises from walking sporting activities, and organization file dissemination, which became characterized with the aid of the closer view pixel dispersion values, turned into likewise envisioned to differentiate the social event and dissipating physical

Jack Sparrow Publishers © 2026, IJCSER , All Rights Reserved
www.jacksparrowpublishers.com

ISSN: 3107 - 8605 (Online) , http://www.ijcser.com/ , Vol. 3, Issue 1, 2026, https://doi.org/10.63328/IJCSER-V3RI1P4

activities. A few distinctive scientists have zeroed in on swarm conduct displaying, which has been a captivating examination difficulty on the subject of one of a kind fields .

Various strategies have been embraced for international unusual motion recognition by way of showing the way of behaving of the real institution. Mehran et al. Portrayed swarm ways of behaving through the social energy version , with no human identity or following cycles blanketed. They estimated the interaction forces by measuring the difference between the desired and actual velocities, derived from particle movement in dynamic conditions on the optical flow field. Inert Dirichlet mission changed into additionally used to locate the dissemination of traditional methods of behaving in mild of social strength. Cui et al. almost investigated the social behavior and its dynamics with the cooperative force model. The researchers used spatio-temporal interest points from study and tracked them with a KLT feature tracker from study to analyze human movement in the video sequence. Researchers evaluated interaction strength by measuring spatio-temporal interest point velocities because this method showed them which points would reach convergence in the near future. Meanwhile, other examination businesses have centered extra on nearby strange movement identity. Mancas et al. have dealt quantitatively with the global setting in order to unravel the significance of movements in a spatial context, employing a bottom-up model of saliency.

In the wake of the pandemic, education went on a different trajectory, which distinguished it from the previous practices concerning learning and teaching. Local unusual motion was recognized in the aforementioned saliency maps. Ihaddadene found the patterns of motion for some reference points [8]. They had generated the motion heat map as based on motion force coupled with a hospitality trend. In [5] Mahadevan et al. presented the temporal trajectories and characteristics of normal behavior in crowded scenes courtesy of a mixed dynamic texture. They employed spatial and temporal saliency to detect abnormal events in crowded scenes. Attempts were being made to facilitate group behavior analysis with the extraction of particular localized temporal activities in the space-time dimension of the single optical flow or gradient-based output.

The researchers studied multiple highly crowded video sequences through the creation of a motion pattern distribution which identified nearby spatio-temporal motion patterns. Researchers created a distribution-based Hidden Markov Model (HMM) to represent motion patterns through its encoded motion patterns. Wang et al. analyzed changes in energy frequencies over time within a spatio-temporal cuboid using a wavelet transform.
They have shown that one abnormal region shows fast firing during a specific period of time. In addition, studies have been made on activities on enclosing space-time cuboids. The size and location of the spatio-temporal cuboid will significantly influence the quality of characteristics once selected from some small region within the same frame. Gabor wavelets were applied on the images using eight different filter orientations to extract spatial domain features.

3. Proposed Method

Here, in this section, we are elucidating a method of representing the motion features to detect and localize contaminated activities amidst a crowded scene. Keep in mind, we have to address two types of novel events: local and global. Nearby unexpected sports manifest inside a extremely little location. Things can happen in the same spot, for example, an alien appearance: non-human objects placed among other purely human ones. A person racing at an abnormally high speed down the road while everyone else is walking au pas le tempo. The entire scene experiences strange worldwide events which display their entire scope. The entire group of people present in the scene begins to run toward the exit at once.



Figure. 2 System Architecture

Jack Sparrow Publishers © 2026, IJCSER , All Rights Reserved
www.jacksparrowpublishers.com

ISSN: 3107 - 8605 (Online) , http://www.ijcser.com/ , Vol. 3, Issue 1, 2026, https://doi.org/10.63328/IJCSER-V3RI1P4

3.1. An overview of the proposed method

Sequentially motion details are drawn at the levels of block and pixel, while recording frames generated. The system calculates motion impact energy from block-level motion data which it uses to create a motion impact map that displays energy distribution across different areas. The identified specification of moving object embedding captures the spatiotemporal aspect of motion features in one feature grid. For classification, the movement impact map should be partitioned into the regular grid and k-means clustering must be applied for each region. Unusual motion detection at the frame level uses feature values which measure distances between cluster centroids and all extracted spatio-temporal motion impact features. If the frame is recognized as regular, we place unusual motion at pixel level. Fig. 2 depicts an overview of our method devised for detecting and localizing abnormal activities in crowded scenes.

Motion Descriptor

In our paintings, we gauge the movement records in a roundabout way from the optical streams [9], [12]. The process handles optical streams after processing through the processing of each pixel's optical streams which exist inside a specified area. The process divides the edge into M sections by using N identical blocks. The blocks can be filed via B1,B2,••• ,BMN. The system calculates a representative optical movement for each block by averaging the optical progressions which occur within the block's pixels:

$$\mathbf{b}_i = \frac{1}{J}\sum_j \mathbf{f}_i^j$$

In this equation, bi represents the optical flow of the i-th block, J indicates the total number of pixels present in a block, and f_{ij} represents the optical flow data for each pixel in the i^{th} block. Two parameters pertaining to optical flow will be designated-∠ for orientation and a for magnitude. To ensure computational efficiency, a rule is followed to quantize the i-th block direction of the optical flow:

$$q(\angle \mathbf{b}_i)\equiv k \quad \text{s.t. } (2k-3)\times\frac{\pi}{8} < \angle \mathbf{b}_i \le (2k-1)\times\frac{\pi}{8}$$

Where k ∈ 1, 2, 3, 4, 5, 6, 7, 8. Here, we must take note of that we accept as true with a block in an edge to be a digital item, no matter the reality, and utilize two conversely. In other words, we extract motion features from the blocks to create motion descriptors which we use to identify unusual motion areas because tracking single objects like pedestrians and vehicles proves impractical in crowded video footage.

we finally construct a motion impact map that represents the motion patterns occurring within the scene. Each block within the movement effect map incorporates of a 8dimensional vector. Each component of this motion transformation vector encodes the probable motion vector direction of the i-th block. The influence weight is calculated based only on a limited number of blocks.



Figure. 3 The schematic description of the variables used to compute an influence weight.

That is to say, wij only represents the effect of block i dealing with block j. The movement effect vector that describes block j. which is represented by the equation Hj(ok). requires us to include all final blocks in our analysis because they will affect block j movement.

$$H^j(k_i) = \sum_{i\neq j} w_{ij}$$

The notation j∈{1,2,…,MN} indicates that j ranges from 1 to MN. The variable ki represents the quantized direction history which describes the motion of block i over time. The information from block i serves as a feature for block j. A graphical illustration for constructing the motion impact map and impacts of movements in three scenarios for Fig 4The target block that researchers use to compute motion impact value exists as a red-highlighted element in Figures 4(b)–4(d).

The blocks show their corresponding influence weights through the numbers that appear inside them. The histograms below the direction depict the motion impact values of components of the target block. The bin index ki is the direction of the motion of the block-*i*.

To visually display motion impact map values through simple patterns, color-intensity maps shown in Figures 4(b) to 4(d) present scalar values of motion impact vector which results from adding all eight of its component values. As inferred motion influence values on the target block, circles showed in Figures 4(b)–4(d) are due to more than five collapsed blocks.

Jack Sparrow Publishers © 2026, IJCSER , All Rights Reserved
www.jacksparrowpublishers.com

ISSN: 3107 - 8605 (Online) , http://www.ijcser.com/ , Vol. 3, Issue 1, 2026, https://doi.org/10.63328/IJCSER-V3RI1P4



Figure. 4 Explains the proposed method in general.

The subject in Figure 4(c) moves at a speed which requires additional blocks to calculate the influence weights than the other two cases which appear in Figures 4(b) and 4(d). The proposed motion impact map system simultaneously manages three different types of motion data which include velocity, direction, and object dimensions together with their interactions to nearby items. The motion vectors experience their highest values because subjects and objects that move at normal speeds suddenly accelerate their movement. The motion impact map shows increased feature values because assessment in the motion impact map used higher motion vector values which affected more adjacent blocks during its calculation.



Figure. 5 The complete process of creating a motion impact map

It begins with the first step which uses optical flow data at the pixel level for mapping motion and continues through the second step which uses motion vectors for mapping block movements and ends with the third step which calculates motion impact weights while assessing the motion impact vector for the selected block. The movement patterns of trucks and motorcycles show consistent unidirectional behavior because these vehicles function as rigid objects. In contrast human subjects display diverse motion patterns because their non-rigid body parts enable them to move in various directions. The movement patterns of rigid objects maintain consistent directions and speeds throughout time which results in their motion impact map showing high influence weights that produce strong unidirectional vectors. With respect to this mechanism, the motion impact map constructs the relative level of interactions among the objects based on the sum of weights associated with the target block.

Jack Sparrow Publishers © 2026, IJCSER , All Rights Reserved
www.jacksparrowpublishers.com

ISSN: 3107 - 8605 (Online) , http://www.ijcser.com/ , Vol. 3, Issue 1, 2026, https://doi.org/10.63328/IJCSER-V3RI1P4



(A) A walking person



(B) A running person

Figure. 6 The complete process of creating a motion impact map

When two cyclists approach each other, their opposite motion creates a block which produces motion impact weights that exceed those of a cyclist who moves toward a stationary pedestrian. Therefore, we can predict these activities based on the current frame using these features Moreover, ordinary position information also has the ability to determine unusuality of motion. By sudden or drastic movement, we know by the impact pattern map exact location and the onset of movement. Our method identifies both local and global activities through a single system which uses our developed motion impact map framework. The following section presents pseudo-code which demonstrates the process of creating a motion impact map:

Jack Sparrow Publishers © 2026, IJCSER , All Rights Reserved
www.jacksparrowpublishers.com

ISSN: 3107 - 8605 (Online) , http://www.ijcser.com/ , Vol. 3, Issue 1, 2026, https://doi.org/10.63328/IJCSER-V3RI1P4

INPUT: $B \leftarrow$ motion vector set, $S \leftarrow$ block size, $K \leftarrow$ a set of blocks in a frame;
OUTPUT: $H \leftarrow$ motion influence map
$H(i, j \in K)$ is set to zero at the beginning of each frame
for all $j \in K$ **do**
  $T_j = \|b_x\| \times S$;
  $\zeta_j = 2b_x + \frac{1}{2}$;
  $-\frac{T_j}{2}/2 < b_x < \frac{T_j}{2}$;
  for all $j \in K$ **do**
    If $i \neq j$ **then**
      Calculate the Euclidean distance $D(i, j)$ between b_i and b_j,
      If $D(i, j) < T_j$ **then**
        Calculate the angle ϕ_{ij} between b_i, and b_j,
        If $-\frac{\pi}{4} < \varphi_{ij} < \frac{\pi}{4}$ **then**
          $H'(Lb_i) = H'(Lb_i) + \exp\left(-\frac{D(i,j)}{\|b_i\|^2}\right)$
        end if
      end if
    end if
  end for
end for
end for

3.2. Feature Extraction, Detection, and Localization

In the proposed LBP-based motion impact map, a target block exhibiting unusual motion, along with its adjoining blocks, draws distinctive motion impact vectors. Furthermore, as movement is generally persistent over several consecutive frames, an object vector is extracted in many ways in the current paper from the cuboid formed by n×n blocks over t frames. More precisely, the frame is divided into discontinuous, separate "super" blocks, where each comprises several of numerous motion exertion blocks. The process starts with the removal of spatial and temporal elements which we carry out through the addition of all movement vectors from the uber blocks inside each case. The movement effect vectors for the new t range of edges will be linked through this process. Therefore, an 8×t layered concatenated vector is extracted from a super block present in the frame (Fig. 5).

For each terrific block, we then, at that point, carry out K-infers grouping the use of the spatio-common capabilities, and set the concentrations as codewords. The (i,j)-th uber block contains K codewords. Here, we ought to look at that during our arrangement stage, we use simply video fastens of commonplace sports. Along these traces, the codewords of a uber block version the times of regular sports that could arise within the one-of-a-kind district.

The team creates a distance matrix E which relates to the super blocks after they complete their testing work and extract spatio-temporal feature vectors from all super blocks. The entry value shows the shortest Euclidean distance which exists between a test frame feature vector and the codewords of the related super block.

$$\mathcal{E}(i,j) = \min_k \|\mathbf{f}^{(i,j)} - \mathbf{w}_k^{(i,j)}\|^2$$



Figure. 7 The diagram shows a k-means clustering process through its frame partitioning method. The coordinates (1,1), (1,9), (7,1), and (14,1) show the locations of the super blocks in the system.

Jack Sparrow Publishers © 2026, IJCSER , All Rights Reserved
www.jacksparrowpublishers.com

ISSN: 3107 - 8605 (Online) , http://www.ijcser.com/ , Vol. 3, Issue 1, 2026, https://doi.org/10.63328/IJCSER-V3RI1P4

For each (i, j) position in the E, E (i, j) represents the element in that position, and for the (i, j) superblock of the test frame f(i,j) denotes the feature vector. The base distance network shows that when a value of an element decreases to its minimum level the network becomes more difficult to predict unusual events which will occur in that specific block. Then again, we are able to specific that there are atypical physical activities in t sequential casings assuming a better worth exists within the highlight esteem. In the event that the base distance lattice. We locate the highest expanded value at the base distance network through which we measure the edge agent feature value. When the base distance grid reaches its maximum value which exceeds the threshold we classify the ongoing frame as an unexpected event. The system establishes its limits through a method which applies identical restrictions to all supreme blocks for controlling their irregular movements and athletic activities.

4. Experimental Results

The utility is completed in python with the OpenCV library for use in Ubuntu and Windows Linux operating systems. The utility design allows users to test multiple video types through its adaptable system. In Figure five(a) an character is walking with a dog which shows an abnormal enact in Figure five(b).



Figure. 8 (a) Crowd detection in low light

Figure.8 (b) Person identified in crowd

5. Conclusion and Future Scope

People wanted to create automatic intelligent video analysis systems because many cameras began to monitor both public spaces and private homes. The detection of unusual activities which occurs in common areas and domestic environments has become an important research area for vision-based monitoring systems. Our research developed a method to detect human movement patterns which work to identify and track unusual physical

Jack Sparrow Publishers © 2026, IJCSER , All Rights Reserved
www.jacksparrowpublishers.com

ISSN: 3107 - 8605 (Online) , http://www.ijcser.com/ , Vol. 3, Issue 1, 2026, https://doi.org/10.63328/IJCSER-V3RI1P4

activities within crowded domestic environments. The motion effect map of our research shows total pressure for both actual and normal conditions to create a framework which defines standard behavior while showing all areas of rare physical activities at an edge. For a proper application, a savvy remark framework necessities to apprehend each neighborhood and international uncommon physical activities inside a introduced collectively device productively. The proposed approach has a restrict while there may be regions of electricity for a twisting within the information video because the motion effect map is built in view of the movement route and greatness of the shifting objects. The primary objective of this research study exists to detect unexpected physical activities that occur within crowded spaces through the use of wide-angle cameras which capture all motion that takes place within their viewing field. Our testing process has exclusively used our top-quality equipment, while the testing method proves unsuitable for handling the specific requirements of surveillance cameras that have pan and zoom and tilt capabilities. The current method works exclusively with fixed-position cameras. The system can be extended to handle PTZ cameras through its ability to process maximum movement limits.

References

[1]. M. Mancas, N. Riche, J. Leroy, and B. Gosselin, "Strange Movement Choice in Groups Utilizing Base Up Saliency," Proc. Eighteenth IEEE Global Meeting on Picture Handling, Bruxelles, Belgium, Sep. Eleven-14, 2011, pp. 229-232.

[2]. D. Y. Chen and P. C. Huang, "Movement Based Surprising Occasion Location in Human Groups," Diary of Vision and Correspondence and Picture Portrayal, Vol. 22, No. 2, 2011, pp. 178-186.

[3]. S. Ali and M. Shah, "Floor Fields for Following in High Thickness Group Scenes," Proc. 10th European Meeting on PC Vision, Marseille, France, Oct. 12-18, 2008, pp. 1-14.

[4]. Four. S. Wu, B. Moore, and M. Shah, "Turbulent Invariants of Lagrangian Molecule Directions for Abnormality Identification in Jam-packed Scenes," Proc. IEEE Meeting on PC Vision and Example Acknowledgment, San Francisco, USA, June 13-18, 2010, pp. 2054-2060.

[5]. R. Mehran, A. Oyama, and M. Shah, "Strange Group Conduct Discovery Utilizing Social Power Model," Proc. IEEE Meeting on PC Vision and Example Acknowledgment, Miami, USA, June 20-25, 2009, pp. 935942.

[6]. Adam, E. Rivlin, I. Shimshoni, and D. Reinitz, "Hearty Constant Uncommon Occasion Discovery Utilizing Different Fixed-Area Screens," IEEE Trans. On Example Examination and Machine Knowledge, Vol. 30, No. Three, 2008, pp. 555-560.

[7]. T. Xiang and S. Gong, "Video Conduct Profiling for Abnormality Location," IEEE Trans. On Example Examination and Machine Knowledge, Vol. 30, No. 5, 2008, pp. 893-908.

[8]. F. Jiang, J. Yuan, S. A. Tsaftaris, and A. K. Katsaggelos, "Abnormal Video Occasion Location making use of Spatiotemporal Setting," PC Vision and Picture Getting it, Vol. A hundred and fifteen, No. Three, 2011, pp. 323-333.

[9]. D. Lucas and T. Kanade, "An Iterative Picture Enlistment Method with an Application to Sound gadget Vision," Proc. Seventh Worldwide Joint Meeting on Man-made attention, San Francisco, USA, Aug. 3-9, 1981, pp. 674-679.

[10]. G. Xiong, J. Cheng, X. Wu, Y. Chen, Y. Ou, and Y. Xu, "An Energy Model Way to cope with Individuals Counting for Unusual Group Conduct Recognition," Neurocomputing, Vol. Eighty three, 2012, pp. 121-a hundred thirty five.

[11]. B. Zhan, D. N. Monekosso, P. Remagnino, S. A. Velastin, and L. Q. Xu, "Group examination: a look at," Worldwide Diary of Machine Vision and Applications, Vol. 19, No. 5-6, 2008, pp. 345-357.

[12]. C. Helbing and P. Molnar, "Social Power Model for Person walking Elements," Actual Audit E, Vol. 51, No. Five, 1995, pp. 4282-4286.

[13]. Lerner, Y. Chrysanthou, and D. Lischinski, "Groups As a visible demonstration," PC Illustrations Gathering, Vol. 26, No. Three, 2007, pp. 655-664.

[14]. Nine. S. Ali and M. Shah, "A Lagrangian Molecule Elements Approach for Group Stream Division and Dependability Examination," Proc. IEEE Gathering on PC Vision and Example Acknowledgment, Minneapolis, USA, June 17-22, 2007, pp. 1-6.

[15]. 10. X. Cui, Q. Liu, M. Gao, and D. N. Metaxas, "Strange Discovery Utilizing Communication Energy Possibilities," Proc. IEEE Gathering on PC Vision and Example Acknowledgment, Colorado, USA, June 20-25, 2011, pp. 3161-3167.

[16]. Laptev, M. Marszalek, C. Schmid, and B. Rozenfeld, "Gaining Practical Human Activities from Motion pix," Proc. IEEE Gathering on PC Vision and Example Acknowledgment, Jetty, USA, June 2328, 2008, pp. 1-eight.

How to Cite

Kodeboina Suresh , Sk.Akbar , T Murali Mohan , Ravindra Lal Weeraratne Koggalage , " Spatio-Temporal modeling for abnormal behaviour detection in crowd scenes " , International Journal of Computational Science and Engineering Research, vol. 3, no. 1, p. 38-48, Jan. 2026.

Cross Reff DOI: 10.63328/ijcser-v3ri1p4

Jack Sparrow Publishers © 2026, IJCSER , All Rights Reserved
www.jacksparrowpublishers.com

ISSN: 3107 - 8605 (Online) , http://www.ijcser.com/ , Vol. 3, Issue 1, 2026, https://doi.org/10.63328/IJCSER-V3RI1P4

Declaration

Conflicts of Interest: The authors declare no conflict of interest.

Author Contribution: All authors wrote the main manuscript text and also consent to the submission.

Ethical approval: Not applicable.

Consent to Participate: All authors consent to participate.

Funding: Not applicable, and No funding was received

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Personal Statement: We declare with our best of knowledge that this research work is purely Original Work and No third party material used in this article drafting. If any such kind material found in further online publication, we are responsible only for any judicial and copyright issues.

Generative AI Statement: The authors declare that generative AI was not used in the preparation or creation of this manuscript. The alternative text (alt text) accompanying the figures in this article was generated by Frontiers with the assistance of artificial intelligence. Reasonable efforts have been made to ensure the accuracy and appropriateness of the generated alt text, including review by the authors wherever possible. If you identify any inaccuracies or issues, please contact the editorial team.

Publisher's Note: The statements, opinions, and claims presented in this article are exclusively those of the authors and do not necessarily reflect the views of their affiliated institutions, the publisher, editors, or reviewers. Any products discussed or evaluated, as well as any claims made by their manufacturers, are not warranted, approved, or endorsed by the publisher.

Acknowledgements

We thank everyone who inspired our work

Jack Sparrow Publishers © 2026, IJCSER , All Rights Reserved
www.jacksparrowpublishers.com